

Fiber Laser and Amplifier Simulations in FETI

Zoltán Várallyay*1, Gábor Gajdátsy*1, András Cserteg*1, Gábor Varga*2 and Gyula Besztercey*3

〈概要〉

ファイバレーザは、出力レベルや堅牢性が固体レーザの特性に匹敵するものになってきて、レーザ市場における存在感が増してきているとともに、ますます要求が高まってきている。その理由は、ひとつにはフォトニック結晶ファイバに代表されるような最新の光ファイバ関連の技術開発成果を使えること、またこれまでに蓄積されてきた多種の光ファイバ技術を用いて洗練されたシステム設計ができることなどが考えられる。ある特定の応用先が決まった時に、必要となるパラメータを最適化したり特性値を最大化したりするために、システムの特性をシミュレーションすることは必要不可欠である。FETIでは、連続光 (CW) 発振器としてだけでなく、パルス発振器や増幅器としてのファイバレーザのシステム特性を計算するアルゴリズムを有している。このアルゴリズムには、ある思想で定義された評価関数を最大化するように系を最適化する際の、「しらみつぶし法」や「単体法」も取り入れることが可能である。分散や非線形、その他損失や利得を考慮することに伴う様々な効果も取り入れることができる。具体的には、非線形のシュレディンガー方程式とレート方程式を出発点として、様々なソルバーを組み合わせることで、希土類をドープした光ファイバ中のパルス伝搬を計算できるアルゴリズムを構築している。このアルゴリズムを用いると、直線ファイバでも、リングファイバ発振器でも、パワー増幅器でも、それぞれ境界条件を満足させるような計算を行うことが可能である。本報告書では、開発したアルゴリズムをいくつかのサブシステムに適用させた例を示している。アルゴリズムの確認のみではなく、計算結果はより安定な超高出力ファイバレーザシステムを開発する道筋を示すものとなっている。

1. INTRODUCTION

At the end of the 90s the output power from a diffraction limited or nearly diffraction limited fiber laser (FL) was restricted to a few multiple of 10 W power level while recently this value is increased by three orders of magnitude as in the case of the Yb-doped fiber technology¹⁾. This power level could be achieved, on one hand, by the introduction of double-clad rare-earth doped fibers²⁾ which made possible the use of high power multi-mode laser diodes (LD) as pump sources injected into the large area cladding, because single mode fiber lasers pumped with single mode pump diodes are featuring low output power. On the other hand, the work on such fiber designs which present an increased core area in order to reduce the nonlinear distortions of the propagating signal while keeping still a diffraction limited output field distribution contributed to the extension of the achievable power levels too^{3),4)}. A big leap in the high quality, high energy laser outputs was achieved by the introduction of the large mode area (LMA) or large pitch (LP) fibers having photonic crystal cladding where the cladding filters out the high-

er order modes providing a nearly diffraction limited output⁵⁾. Aside from the mode instability⁶⁾, these type of fibers are theoretically infinitely single mode fibers⁷⁾. This mode scaling of the fiber core⁸⁾ and the application of the chirped pulse amplification (CPA) technique⁹⁾ can result in enormous output power levels from fiber lasers¹⁰⁾. The output level is comparable to the power levels of solid-state laser systems.

At FETI, we have been modeling nonlinear wave propagation in optical fibers for more than 10 years. We used our model successfully to predict the nonlinear compression of broad and ultra-short laser pulses in a small core area fiber¹¹⁾. We also developed and verified amplifier models which are able to treat the rate equations in Ytterbium (Yb) or Erbium (Er) doped fiber amplifiers and consequently calculate the gain for the signal, pump and amplified spontaneous emission (ASE) fields in a wide wavelength range¹²⁾. We note also that these simulations can be extended to include the differential gain of the different core modes in case of few modes or multimode amplifiers¹³⁾. If one has an amplifier model that provide reliable calculation results in a certain parameter extent that model can be easily transfer to modeling fiber oscillators since the gain medium in both devices are identical and only the boundary conditions are distinct from the physical point of view. Of course, a fiber oscillator which

*1 FETI, Simulation group

*2 Budapest University of Technology and Economics, Physics department

*3 FETI, General Manager

can provide short laser pulses via Q-switching or mode-locking¹⁴⁾ is a bit more complex since additional optical elements such as saturable absorbers and also components with spectral filtering have to be modeled in the same time. We managed to concatenate these elements in a fiber ring oscillator and successfully modeled the mode-locked, output pulse properties of the oscillator at different parameter selections for the saturable absorber¹⁵⁾. The simulation of continuous wave (CW) oscillators provide a different challenge at high power levels. We had to include the nonlinear effects in the calculations: they are crucial because a real CW laser has also finite bandwidth but the Fourier-transform of a finite bandwidth with constant phase will not be CW in the time domain. By introducing a phase-diffusion model, the connection between the spectral domain and the time domain can be established and the split-step Fourier method can be applied to add nonlinear and linear effects to the signal evaluation¹⁶⁾.

In this paper, we describe our physical and numerical models how we combine the rate equations associated with the gain effects with the nonlinear Schrödinger equation taking into account the dispersive and nonlinear effects during the light propagation. Using this extended numerical model, we present simulation results which intent is to optimize a high power CPA system using LMA or LP fibers as gain media. The aim of the optimization will be to determine the optimum applied chirp on the short pulses at the input end of the fiber to avoid any nonlinear distortion during the amplification process till the output end of the fiber.

2. THEORY

To model the gain properties of the doped optical fiber, we solve the coupled power evaluation equations of the different signals along with the steady-state, two-level rate equation¹⁷⁾

$$\frac{dP_{\pm k}^{\pm}}{dz} = u \Gamma C_d [N_2 \sigma_e - N_1 \sigma_a] P_{\pm k}^{\pm} - u \alpha P_{\pm k}^{\pm} \quad (1)$$

$$N_2 = \frac{C_d \left[\sum_k \frac{P_k \Gamma \sigma_a}{\xi f_k} \right]}{[1 + \sum_k P_k \Gamma (\sigma_e + \sigma_a) / \xi f_k]} \quad (2)$$

where + and - in the superscript of P denote the forward and backward propagating signals, respectively and consequently u is 1 or -1 for forward and backward propagating signals. Γ is the overlap factor of the propagating mode with the doped region, C_d is the doping concentration, α is the so-called background loss of the fiber without the doping ions, σ_e and σ_a are the emission and absorption cross-sections of the doping ions in the particular host material. These cross-section values have to be measured in order to be used in this model¹²⁾. N_2 and N_1 are the populations of the metastable and fundamental states, respectively. In Equation. (2), $\xi = \pi R_{eff} h / \tau$ where

τ is the fluorescence lifetime of the doping ion, h is the Planck constant, R_{eff} is the effective radius of the doped region and f_k is the k^{th} frequency component. One has to add an amplified spontaneous emission (ASE) term to Equation (1) if the calculated signal is the forward or the backward ASE signal. This term has a form of $u \sigma_e \Gamma C_d N_2 n h f_k \Delta f$ where n is the number of the propagating modes and Δf is the ASE frequency resolution.

The dispersion and nonlinearity related effects are governed by the nonlinear Schrödinger equation¹⁸⁾:

$$\frac{\partial A}{\partial z} = -\sum_{m=2}^N i^{m-1} \frac{\beta_m}{m!} \frac{\partial^m A}{\partial T^m} + (i\gamma \int_0^\infty R(T') |A(z, T-T')|^2 dT') A + \frac{G}{2} A \quad (3)$$

where A is the complex envelop function of the investigated pulse. The first term at the right-hand side of the equation takes into account the dispersion effects from the second order to the higher orders where β_m is the m^{th} order dispersion contribution of the fiber to the pulse evaluation and T is the time space in a frame of reference travelling with the pulse. The second term at the right-hand side is the term taking into account the nonlinear contribution to the pulse evaluation. Here, $R(t)$ is the nonlinear response function and γ is the nonlinear coefficient and they are discussed in details in References⁸⁾. The third term could be the loss term but that is already included in Equation (1) therefore this term is kept for the gain in the fiber (negative loss). The frequency dependent G can be calculated from Equation (1) and Equation (2) using a small segment (Δz) of the fiber:

$$G = \ln \left(\frac{P(z, f_k)}{P(z + \Delta z, f_k)} \right) / \Delta z \quad (4)$$

When solving Equation (1)-(3) with the help of Equation (4), one has to consider that the width of the temporal window, where we generate the complex envelope function, is not identical to the time range determined by the repetition rate of the pulse. Therefore, the spectral intensity during the calculations must be corrected accordingly.

The boundary conditions for Equation (1) in case of amplifier modeling are given in References¹²⁾ and for a linear fiber oscillator, it is described in References¹⁶⁾. In order to treat the bidirectional propagation in the amplifier with great stability we apply a modified shooting method which is detailed in References¹²⁾.

3. RESULTS

We model an Yb-doped, LMA amplifier to amplify 1 μ J Gaussian pulses at around 1070 nm originating from a 1 MHz fiber oscillator and a pre-amplifier system which amplified the pulse to the 1 W power level (1 μ J · 1 MHz). This pulse is amplified further in the LMA fiber having an effective core area (ECA) of 4000 μ m². Although this core size is large enough to present low nonlinearity, the mentioned power level will be too large to propagate without significant spectral broadening if the transform limited

pulse duration with its high peak power is the input signal. Fig. 1 shows that even after 10 cm of propagation the spectral bandwidth is broadened more than 10 times compared to the original full width at half maximum (FWHM). The used dispersion parameters are the dispersion values of the silica glass at around 1070 nm (no waveguide contribution at large core sizes). Linear dispersion: $D = -28.4366$ ps/(nm km), dispersion slope: $S = 0.3146$ ps/(nm² km), third order dispersion: $T = -7.2853 \cdot 10^{-4}$ ps/(nm³ km) and fourth order dispersion: $F = 4.6057 \cdot 10^{-6}$ ps/(nm⁴ km).

Though the doping ions will modify the dispersion of a silica fiber, its small contribution to the above dispersion values will not alter the calculation results significantly. Therefore, we calculate with these dispersion values throughout this paper. Conversely, the nonlinear refractive index of the fiber is the nonlinear refractive index of the silica glass which is $n_2 = 2.6 \cdot 10^{-20}$ m²/W.

Figure 1 (b) shows not only the changes of the spectral FWHM but also the broadening of the temporal width which extends to 465 fs from the initial 170 fs during 10 cm of propagation due to the dispersion contribution of the fiber. Due to the higher order dispersions, the modulated spectra becomes slightly asymmetric (Figure 1 (a)).




Figure 1 (a) Input and output spectra before and after a 10 cm LMA fiber amplifier and (b) Temporal and spectral FWHM evaluations along the fiber without any amplification.

If we switch on the gain lurching cladding pumps in forward and backward directions in the LMA fiber and we use at least one meter length of it in order to achieve a noticeable gain, the temporal and spectral distortions will be more significant. Therefore, we will use a brute-force optimization on the system by adding a linear chirp to the input pulse to broaden the pulse-width and decrease the peak power sufficiently. At the output, we will compress the amplified pulse applying linear and second-order chirps to compensate the phase on the pulse. The merit-function (MF) of the CPA system is to achieve maximum compression at the output but simultaneously the highest pulse quality after the compression. We define the quality of the pulse as a ratio of stored energy in the main peak and the total pulse energy (References 11)). Since we wish to obtain the best possible quality pulses at the shortest possible duration, we found that a proper merit function considering the pulse quality to a greater weight should have the form of

$$MF = \frac{\Delta\tau}{QF^x} \tag{5}$$

where $\Delta\tau$ is the FWHM of the compressed pulse and QF is the obtained quality factor of the compressed pulse (a number between 0 and 1) and x is an exponential factor. We found that the exponential factor should be larger than 3 to obtain a reliable optimum (high quality compressed outputs).


We will minimize MF in Equation (5) and to do this, we use the following setup of the arrangement: the gain fiber is 1 m long having a core diameter of 88 μm and a cladding diameter for the pump of 200 μm ⁸⁾. This fiber has an ECA of 4000 μm^2 . The ratio of the core and cladding area determines the overlap factor of the cladding pump with the doping ions in the core^{12),13)} and this way we have $\Gamma = 0.1936$. The doping concentration is set to 10^{26} 1/m³ and the fluorescence lifetime of Ytterbium is set to 2.3 ms. Both pumps (forward, backward) have 4 nm spectral bandwidth and 80 W CW output power injected into the fiber cladding. The input signal has a 10 nm initial bandwidth and 1 W power level which corresponds to 170 fs transform limited pulse duration at around 1070 nm and 5.6 MW peak power. To avoid nonlinear distortions, we are looking for the optimum input chirp on the input signal that way to obtain a minimum for Equation (5).

The shortest pulse width and the possible highest quality factor is found to be at 6.65 ps² linear, input chirp scanning the input chirp values in hundred steps between 3 and 8 ps² repeating the calculations with each pulses. The corresponding FWHM and QF using a range of compression chirps can be seen in Figure 2. where that is obvious that the shortest pulse duration does not always meet with the highest quality factor of the pulse which makes necessary to introduce Equation (5) the way we did. Fig. 3 shows the steady-state inversion level in the gain fiber along with the gain of the signal at the center frequency. Figure 4 (a) and (b) show the power evolution

of the propagating signals as well as the temporal and spectral FWHM along the fiber during this amplification process. Finally, the temporal and spectral shape of the pulse are shown in Figure 5 (a) and (b).

One can see that the first step to amplify high power pulses is stretching them and the added 6.65 ps^2 input chirp will broaden the pulse to an FWHM of 109.4 ps (See Figure 4 (b)) corresponding to a reduced peak power of 8.6 kW . During the amplification and propagation, the pulse width becomes 111.3 ps and due to the gain the peak power will reach a little more than 1 MW . During this process, the spectral width is increased only by 0.6 nm (Figure 4(b)) which small broadening adumbrates a good quality compression. The best compression is achieved at -6.46 ps^2 compression chirp and 0.004 ps^3 third order chirp (Figure 2 and Figure 5 (a)). The obtained FWHM of the compressed pulse we got is 522 fs with a pulse peak power of 148.1 MW (Figure 5 (a)).

(a) FWHM VS COMPRESSION CHIRPS



(b) QUALITY FACTOR VS COMPRESSION CHIRPS




Figure 2 (a) FWHM. (b) QF as functions of compression group-delay dispersion (GDD) and compression third-order dispersion (TOD). Color is showing the magnitude of FWHM and QF in pico-seconds and in proportion, respectively.





Figure 3 Inversion level and gain along the 1m long amplifier.

(a) POWER EVOLUTION ALONG THE FIBER



(b) TEMPORAL AND SPECTRAL FWHM ALONG THE FIBER





Figure 4 (a) Power evolution of the ASE signals, cladding pumps and the amplified pulse. (b) Temporal and spectral FWHM of the amplified pulse along the fiber due to the dispersion and nonlinear effects.

(a) TEMPORAL SHAPES



(b) SPECTRA




Figure 5 (a) Input, output and optimally compressed pulse shapes. (b) The slightly broadened and significantly amplified spectrum.

4. CONCLUSION

We showed in this paper that our developed software that calculates the pulse amplification and the nonlinear, dispersive propagation can be used in connection with high power LMA fibers in CPA systems. Our calculations are based on a signal having 10 nm bandwidth as an input for a 1 m long LMA amplifier with $4000 \mu\text{m}^2$ ECA. The signal had 1 W input power and 1 MHz repetition rate. Using sufficient amount of chirp on the input pulse, we managed to amplify it without significant spectral and temporal distortion to 126.4 W average power level that corresponds to 148.1 MW peak power and 522 fs pulse duration after ideal chirp compensation at the output of the amplifier.

REFERENCES

- 1) D. J. Richardson, J. Nilsson, and W. A. Clarkson, "High power fiber lasers: current status and future perspectives [Invited]", *JOSA B*, **27**, B63-B92 (2010).
- 2) H. Po, E. Snitzer, L. Tumminelli, F. Hakimi, N. M. Chu, T. Haw "Double clad high brightness Nd fiber laser pumped by GaAlAs phased array", *Proceedings of the Optical Fiber Communication Conference*, 1989, PD7.
- 3) J. C. Jasapara, M. J. Andrejco, A. DeSantolo, A. D. Yablon, Z. Várallyay, J. Fini, D. J. DiGiovanni, and C. Headley, "Diffraction limited fundamental mode operation of core pumped very-large-mode-area Er fiber amplifiers", *IEEE Journal of Selected Topics in Quantum Electronics* **15**, 3-11 (2009).
- 4) J. C. Jasapara, A. DeSantolo, J. W. Nicholson, A. D. Yablon, and Z. Várallyay, "Diffraction limited amplification of picosecond pulses in $1170 \mu\text{m}^2$ effective area erbium fiber", *Optics Express* **16**, 18869-18874 (2008).
- 5) J. Limpert, N. Deguil-Robin, I. Manek-Hönniger, F. Salin, F. Röser, A. Liem, T. Schreiber, S. Nolte, H. Zellmer, A. Tünnermann, J. Broeng, A. Petersson, and C. Jakobsen, "High-power, rod-type photonic crystal fiber laser", *Opt. Express*, **13**, 1055-1058 (2005).
- 6) C. Jauregui, T. Eidam, J. Limpert, and A. Tünnermann, "The impact of modal interference on the beam quality of high-power fiber amplifiers", *Opt. Express* **19**, 3258-3271 (2011).
- 7) P. St. J. Russell, "Photonic crystal fibers", *Science* **299**, 358-362 (2003).
- 8) J. Limpert, F. Stutzki, F. Jansen, H.-J. Otto, T. Eidam, C. Jauregui and A. Tünnermann, "Yb-doped large-pitch fibres: effective single-mode operation based on higher-order mode delocalisation", *Light: Science & Applications* **1**, 1-5 (2012).
- 9) D. Strickland and G. Mourou, "Compression of amplified chirped optical pulses", *Opt. Commun.* **56**, 219-221 (1985).
- 10) J. Limpert, T. Eidam, M. Baumgartl, F. Röser, M. Plötner, B. Ortaç, S. Nolte, A. Tünnermann, "Compact Ultrafast Oscillators and High Performance Ultrafast Amplifiers Based on Ytterbium-Doped Fibers", *Springer Series in Optical Sciences*, **195**, 75-91 (2015).
- 11) Z. Várallyay, J. Fekete, Á. Bányász and R. Szipőcs, "Optimizing input and output chirps up to the third-order for sub-nanojoule, ultra-short pulse compression in small core area PCF", *Applied Physics B* **86**, 567-572 (2007).
- 12) Z. Várallyay, Á. Szabó, A. Rosales, E. Gonzales, H. Tobioka, and C. Headley, "Accurate modeling of cladding pumped, star-shaped, Yb-doped fiber amplifiers", *Optical Fiber Technology* **21**, 180-186 (2015).
- 13) Z. Várallyay, and J. C. Jasapara, "Comparison of amplification in large area fibers using cladding-pump and fundamental-mode core-pump schemes", *Optics Express* **17**, 17242-17252 (2009).
- 14) A. Cserteg, V. Sági, A. Drozdy, Z. Várallyay and G. Gajdásy, "Characterization of mode locking in an all fiber, all normal dispersion ytterbium based fiber oscillator", *SPIE LASE 93442C* (2015).
- 15) Á. Szabó, and Z. Várallyay, "Numerical study on the saturable absorber parameter selection in an Er fiber ring oscillator", *Photonics Technology Letters*, **24**, 122-124 (2012).
- 16) Á. Szabó, and Z. Várallyay, A. Rosales, and C. Headley, "A fast algorithm to predict spectral broadening in CW bidirectionally pumped high power Yb-doped fiber lasers", *Applied Physics B* **0946-2171**, 1-7 (2015).
- 17) C. R. Giles, and E. Desurvire, "Modeling Erbium-Doped Fiber Amplifiers. *Journal of Lightwave Technology*", **9**, 271-283 (1991).
- 18) G. P. Agrawal, "Nonlinear Fiber Optics", Third Edition, Academic Press 2007.